




On the
Water
Designs

Floating Docks

Designer Series

*A long lasting floating dock
that can grow along with your family*



www.OnTheWaterDesigns.com

Floating Docks

Designer Series

Our Designer Series Floating Docks are hand crafted by experienced welders using the highest quality Canadian materials at our factory in Muskoka. Every Designer Series Floating Dock utilizes very reliable foam filled plastic Permafloat dock floats. Our full range of float sizes allow us to choose the right float to fit your design. Most residential applications are designed for 25 lbs / SqFt, while docks typically holding more people are upgraded to 40 lbs / SqFt. Our standard designs float at 14" off the water, but we also have designs that can float at 18" to make it easier to step from your dock to a pontoon boat. Floating docks are ideal for deep water conditions allowing for freedom of movement with the fluctuating water levels.



Designer Series Floating Docks Include:

- ✓ Frame, Floats & Decking (If Purchased)
- ✓ Chain Retainers at Corners
- ✓ 15' & 20' Ramps Include Stiffener & Float
- ✓ 10 Year Welded Frame Warranty
- ✓ 15 Year Float Warranty

Size		Dock				Ramp			
		No Decking	Micro Pro PT	Western Red Cedar	PVC Endeck / Thruflow	No Decking	Micro Pro PT	Western Red Cedar	PVC Endeck / Thruflow
W	L								
4'	10'	Special Order Only				\$1,000	\$1,500	\$1,625	\$2,350
						18-106	18-674	18-823	18-776
	15'					1,900	2,750	2,950	3,550
						18-297	18-761	18-947	18-480
	20'	\$ 2,900	\$ 3,900	\$ 4,150	\$ 5,000	2,250	3,550	3,750	4,850
		18-634	18-488	18-585	18-412	18-567	18-404	18-599	18-653
6'	10'	2,325	3,050	3,250	3,725	1,225	1,925	2,050	2,900
		18-672	18-413	18-226	18-438	18-177	18-254	18-558	18-859
	15'	3,125	3,950	4,200	4,975	2,175	3,450	3,700	4,600
		18-515	18-105	18-539	18-486	18-961	18-360	18-899	18-507
	20'	3,975	5,200	5,575	6,375	2,450	3,950	4,200	5,400
		18-525	18-130	18-211	18-463	18-833	18-397	18-357	18-422
8'	10'	2,775	3,700	3,950	4,800	1,850	2,900	3,100	4,400
		18-425	18-205	18-552	18-363	18-495	18-407	18-809	18-381
	15'	3,750	5,000	5,300	6,160	2,775	4,350	4,650	6,200
		18-568	18-660	18-675	18-148	18-399	18-471	18-139	18-698
	20'	4,575	6,200	6,700	7,900	3,075	5,000	5,350	7,275
		18-953	18-879	18-281	18-946	18-970	18-610	18-531	18-519
10'	10'	3,000	4,250	4,450	5,500	2,225	3,650	3,900	5,400
		18-864	18-771	18-764	18-702	18-654	18-967	18-853	18-424
	15'	4,350	6,100	6,500	7,650	3,100	5,250	5,600	7,500
		18-910	18-778	18-168	18-673	18-832	18-766	18-920	18-812
	20'	5,550	7,800	8,350	10,750	3,350	6,250	6,700	9,250
		18-569	18-701	18-189	18-710	18-134	18-849	18-338	18-251

Corner Walkway	3'	470 17-665	550 17-128	600 17-292	750 17-397
	4'	510 17-713	640 17-293	700 17-852	850 17-474
	5'	550 17-131	730 17-605	800 17-666	950 17-811

DID YOU KNOW?

Box floats are the best choice for flotation when big waves are less common.

Box floats offer maximum stability for walking & sitting due to the large surface area in contact with the water but for the same reason they also lift more easily when big waves occur.

Are big waves your normal? Check out our Titan Series Floating Dock with pontoon floats



Delivery & Installation is available through a professional 3rd party installation crew.
 Delivery is \$135/HR one way. Installation is generally 10% - 13% and may change based on specific requirements.
 All prices subject to change without notice. All measurements are approximate

Floating Docks

Designer Series

Floating Dock Options

Add Ramp Float	Adds a 2'x3'x16" float to water side of ramp. This upgrade is included on 15' & 20' ramps & 10' ramps with PVC decking.	\$ 260.00			
		16-106			
Accessory Reinforcement	HD aluminum bracket welded below decking to reinforce cleats, mooring whips & flag poles	\$ 65.00			
		46-996			
Dock to Dock Stiffener	Turns two dock sections into one large dock section by reinforcing the joint. Docks must join side by side	\$ 440.00			
		16-534			
HitchHinge Upgrade (/Hinge)	Upgrade from HD hinge to HitchHinge. Hitch side is always welded to ramp. Pin side may be welded or bolted to wood docks with either 1" or 1.5" decking	\$ 68.00	\$ 105.00	\$ 105.00	
		Weld 87-675	1" Deck 87-676	1.5" Deck 87-677	
Concrete Anchor	Concrete anchor for holding floating docks. Chain weights are suspended off the bottom add stability on docks with large water fluctuations	\$ 75.00	\$ 135.00	\$ 52.00	
		Dock (175lb) 89-858	HD (350lb) 89-351	Chain (50lb) 89-283	
Chain (/ft)	Gr. 30 Hot Dipped Galv. Chain is the best choice for most residential applications. Choose Gr. 70 Yellow Zinc for longest life & to combat zebra mussels	\$ 5.50	\$ 6.50	\$ 8.50	
		5/16" 74-619	3/8" 74-634	3/8" Gr 70 74-635	
Anti-Sway Cable Kit	Makes your dock feel more stable by reinforcing ramp against twisting motion. Sold by ramp Length.	\$ 155.00	\$ 165.00	\$ 175.00	
		10' 16-175	15' 16-968	20' 16-503	
Skirting (/ft)	Deck board running below dock frame adds an attractive natural finish and hides the gap between the dock and water	\$ 4.25	\$ 6.75	\$ 7.00	\$ 14.50
		Bracket Only 16-540	PT 16-541	Cedar 16-542	PVC 16-543



Shore Beam & Angle



Concrete Angle

Shore Platforms

			No Decking	Micro Pro PT	Western Red Cedar	PVC Endeck / Thruflow
Bedrock	Reinforced Dock frame mounted to bedrock with 1" threaded rod (included)	4' x 4'	\$550 16-603	\$875 16-654	\$875 16-655	\$1,125 16-108
		6' x 4'	780 16-532	1,150 16-826	1,115 16-827	1,325 16-718
		8' x 4'	870 16-517	1,250 16-759	1,250 16-760	1,950 16-833
Sand & Clay	Reinforced dock frame with 6" steel legs (included) driven into soil.	4' x 4'	850 16-497	1,150 16-204	1,175 16-205	1,375 16-139
		6' x 4'	1,050 16-966	1,350 16-571	1,400 16-572	1,550 16-496
		8' x 4'	1,150 16-154	1,550 16-198	1,550 16-199	2,250 16-579

Shore Attachments

		4'	6'	8'	10'
Shore Beam	6"x6" PT Beam. Used as an adaptor for the shore angle on uneven bedrock.	\$ 285 16-681	\$ 335 16-904	\$ 375 16-498	\$ 445 16-585
		350 16-222	395 16-674	440 16-515	485 16-293
Shore Angle	4" x 4" Aluminum Angle. Mount to shore beam or wood deck	250 16-404	275 16-406	300 16-408	325 16-410
		325 16-304	385 16-306	515 16-308	575 16-310
Shore Plate	4" x 1/4" Aluminum Plate. Mount to the face of a flat surface	425 16-551	550 16-438	635 16-622	775 16-483
		425 16-304	550 16-306	635 16-308	775 16-310
Shore Channel	4" x 2-1/2" Aluminum Channel. Mount to the face of an uneven surface	425 16-551	550 16-438	635 16-622	775 16-483
		425 16-304	550 16-306	635 16-308	775 16-310
Concrete Angle	4' x 6" Aluminum Angle Mount to new or existing concrete	425 16-551	550 16-438	635 16-622	775 16-483
		425 16-304	550 16-306	635 16-308	775 16-310

* Note: Concrete Pour Available Separately




Shore Platform

Floating Docks

Designer Series

Docks Plus Temagami

6703 HWY 11 N
Temagami, ON P0H 2H0
705-569-4600 store
705-825-3323 cell



\$65.00

53- 383 384

Heavy Slant P Bumper | 10'4" Length



\$100.00

53- 697


EZ-Glide Bumper & Track | 10'4" Length



\$95.00

53- 195 196

Single P Bumper | 8' Length



\$40.00

53- 382 946 947

Heavy Outside Corner



\$45.00

53- 593 919 969 970

Large Corner Bumper



Factory Install Bumper LB-359 \$23.50
Factory Install Corner LB-127 \$13.00
Bumper Screws (25pk) 68-720 \$5.75
Bumper Screws (100pk) 68-719 \$23.00



6" Flip Up Cleat

51-552
51-551
51-215

Install LB-948

Hardware Only 68-723

\$25.00

\$13.00

\$7.00



Hand Rail - Aluminum

\$45.00

16-663

/Ft



\$50.00

61-146

Premium Solar Light



Premium
Mooring Whips

Capacity	Size
8'	2,500 lbs
12'	5,000 lbs
14'	10,000 lbs

Wake Watcher	3,500 lbs
-----------------	-----------

Install Whips	\$ 38
	LB-460



Wake Watcher™



\$55.00

61-426


Solar Dock Lite (2pk)



\$90.00


61-856

Solar Post Lite (2pk)



Straight Ladder

	Grey	Measurements
3 Step	\$ 385	ID 18"
	54-361	OD 20.5"
4 Step	\$ 415	Depth 5.5"
	54-397	Step Height 11"
5 Step	\$ 455	3 Step Lower Height 33"
	54-330	4 Step Lower Height 44"
Install Ladder	\$ 27	5 Step Lower Height 55"
	LB-681	



Angled Ladder

	Black	White	Grey	Measurements
3 Step	\$ 410	\$ 410	\$ 385	ID 18"
	54-742	54-455	54-869	OD 20.5"
4 Step	\$ 465	\$ 465	\$ 415	Step Height 11"
	54-743	54-543	54-517	3 Step Lower Height 33"
5 Step	\$ 495	\$ 495	\$ 455	4 Step Lower Height 44"
	54-744	54-350	54-708	5 Step Lower Height 55"
Install Ladder			\$ 27	Angle 15°
			LB-681	