

Designer Series

Is it getting difficult to find help each season when it is time to put your dock in and out? A Tower Dock by On the Water Designs can be lifted & lowered by yourself or with a single helper. Enjoy your dock on your schedule!

M. Law Toler

Tower Docks are most suitable in water less than 8' deep and where fluctuation is minimal when a boat is tied to it. Muddy bottoms are not a problem but need to be managed properly to ensure easy removal. Tower Dock solutions inlude a strong mounting point at shore as well as a solid winch point that holds the dock over the winter.

All tower components are hidden below the decking for the summer.


Size		No Decking	Micro Pro PT	Western Red Cedar	PVC Endeck / Thruflow	
W	L				Hiruilow	
	20'	\$3,100	\$5,000	\$5,800	\$6,200	
		19-827	19-101	19-695	19-252	
	30'	4,800	7,500	8,700	9,150	
4'		19-849	19-841	19-174	19-352	
	40'	5,600	9,650	11,200		
		19-212	19-735	19-446	19-606	
	50'	7,300	12,250	14,250	15,000	
		19-629	19-971	19-669	19-379	
6'	20' 30' 40' 50'	3,800	6,150	7,100	7,000	
		19-396	19-736	19-419	19-218	
		5,600	8,950	10,350	10,200	
		19-674	19-808	19-957	19-521	
		7,000	12,250	14,200	14,200	
		19-973	19-842	19-256	19-786	
		8,800	15,200	17,550	17,850	
		19-463	19-601	19-538	19-309	
	20'	4,950	7,950	9,250	9,900	
		19-815	19-220	19-151	19-944	
	30'	6,750	11,450	13,300	14,000	
8'		19-250	19-749	19-474	19-246	
	40'	8,550	14,650	17,000	18,300	
		19-561	19-754	19-662	19-157	
	50'	10,650	19,700	22,750	24,700	
		19-359	19-465	19-460	19-775	
10' x 15'	End Patio	2,800	6,000	7,100	7,250	
		19-127	19-128	19-129	19-130	

	3'	\$500	\$700	\$700	\$790
)	17-665	17-128	17-292	17-397
Corner Walkway	4'	550	800	800	890
		17-713	17-293	17-852	17-474
	5'	605	900	900	1,000
	n	17-131	17-605	17-666	17-811



All Tower Docks Include:

- ✓ Hidden Tower Design
- ✓ 8' Towers include HD Tower Upgrade
- ✓ All Rigging Between Tower & Dock
- ✓ Foot Pads & Pole Caps
- ✔ Reinforced Frame & Connection Points
- ✓ 10 Year Welded Frame Warranty



			-
Winch	\$ 500.00	\$ 850.00	
	Manual	120V AC	
	44-387	44-298	
Winch Post	\$ 295.00	\$ 295.00	
	Bedrock	Concrete	
	45-413	45-698	
Million ale Callella Dilum			-
Winch Cable Pkg	\$ 235.00		
Winch Cable Pkg	\$ 235.00 50'		
Winch Cable Pkg	•		
Winch Cable Pkg Winter Anchor Cable Pkg	50'	\$ 115.00	\$ 125.00
Ū	50' 16-114	\$ 115.00 60'	\$ 125.00 80'
Ū	50' 16-114 \$ 100.00		•

Designer Series

Tower Dock Options

Dock

Heavy Duty

Tower Upgrade

Soft Bottom	Sinking past your ankles? Use Large Feet	\$	35.00	\$	14.00	1	7	-
Solution	Sinking to your shins? Use Patio Stones		arge Foot	F	Patio Stone	1		
			46-390		89-685			
Hidden Leg	Dock Legs stay hidden below your decking for a	\$	65.00	\$	100.00	\$	135.00	\$ 165.00
Upgrade	clean appearance. Pole adjustment is limited to		20'		30'		40'	50'
	8"		16-556		16-247		16-677	16-190
Skirting (/ft)	Deck board running below dock frame adds an	\$	4.75	\$	8.50	\$	9.50	\$ 15.50
	attractive natural finish and hides the gap	В	racket Only		PT		Cedar	PVC
	between the dock and water		16-540		16-541		16-542	16-543
Anti-Sway Bar	Telescopic bar runs diagonally between two legs.	\$	90.00	\$	100.00	\$	110.00	\$ 120.00
	Optional on 6' legs & recommended with 8' legs		4'		6'		8'	10'
			46-284		46-270		46-852	46-984
Aluminum Pole	1-1/2" Sched 40 marine grade aluminum pole.	\$	40.00	\$	60.00	\$	80.00	\$ 220.00
	Anti-sway bars recommended where 8' poles are		4'		6'		8'	24'
	used		46-982		46-928		46-392	46-579
Step for Tower	Add built-in steps to a tower dock to start the	\$	1,200.00	\$	1,500.00			

Single 16-722

HD Tower

425.00

dock higher up on shore but maintain a lower

Increases strength of tower component.

locations. Included on 8' Wide Docks

Recommended on longer docks and windy

freeboard

	Shore Platf	orms		De	cking	PI	Ke	u Cedar	Th	ruflow
1			4' x 4'	\$	600	\$ 1,100	\$	1,200	\$	1,200
		Reinforced Dock frame	4		16-603	16-654		16-655		16-108
	Bedrock	mounted to bedrock with	6' x 4'		850	1,450		1,500		1,400
	Deulock	1" threaded rod (included)			16-532	16-826		16-827		16-718
		1 tilleaded fod (ilicidded)	8' x 4'	950 1,600			1,700		2,050	
			0 X 4		16-517	16-759		16-760		16-833
			4' x 4'		950	1,450		1,600		1,450
		Poinforced dock frame	4		16-497	16-204		16-205		16-139
Sand & Clay	Reinforced dock frame with 6' steel legs	6' x 4'		1,150	1,700		1,900		1,650	
	(included) driven into soil.	6 X 4		16-966	16-571		16-572		16-496	
		(included) driver into soil.	·		1 250	1 050		2 100		2.400

8' x 4'

Double 16-763

No

Decking

1,250

16-154

Micro Pro

1,950

16-198

Western

Red Cedar

2,100

16-199

Shore Attachments			6'	8'	10'
Shore Beam	6"x6" PT Beam. Used as an adaptor for the		\$ 335	\$ 375	\$ 445
Shore Beam	shore angle on uneven bedrock.	16-681	16-904	16-498	16-585
Shore Angle	4" x 4" Aluminum Angle.	385	425	485	535
Shore Angle	Mount to shore beam or wood deck		16-674	16-515	16-293
Shore Plate	4" x 1/4" Aluminum Plate.	275	300	350	350
Shore Flate	Mount to the face of a flat surface	16-404	16-406	16-408	16-410
Shore Channel	4" x 2-1/2" Aluminum Channel.	360	425	575	635
Shore Channel	Mount to the face of an uneven surface	16-304	16-306	16-308	16-310
Concrete Angle	4' x 6" Aluminum Angle	470	600	700	855
Concrete Angle	Mount to new or existing concrete	16-551	16-438	16-622	16-483
	di a a				



PVC

2,400

16-579

Endeck /



Concrete Angle on New Concrete



Shore Beam & Angle



Shore Platform (Sand & Clay)

Designer Series

Docks Plus Temagami 6703 HWY 11 N 705-569-4600 docksplustemagami@gmail.com www.docksplustemagami.ca







Single P Bumper | 8' Length






Factory Install Bumper LB-359 \$25.00 Factory Install Corner LB-127 \$13.50 Bumper Screws (25pk) 68-720 \$7.19 Bumper Screws (100pk) 68-719 \$28.75



51-552	
51-551	
51-215	
Install	

\$25.00

\$14.50 LB-948



Capacity 2,500

5,000

\$ 385

\$ 550

6" Flip Up Cleat

Hardware Only 68-723 \$8.75

Premium **Mooring Whips**

\$ 40 Install Whips LB-460

Wake Watcher™





Premium Solar Light

Solar Dock Lite (2pk)




\$55.00



\$90.00

Solar Post Lite (2pk)



Straight Ladder



Water	Entry	Staircase

	Height	Grey				
3 Step	24"-36"	\$ 745				
эзсер	24 30	50-867				
4 Step	30"-42"	\$ 850				
+ эсер	30 42	50-777				
5 Step	36"-48"	\$ 962				
Ээкср	30 40	50-845				
6 Step	42"-54"	\$ 1,075				
О Экср	72 57	50-420				
7 Step	48"-60"	\$ 1,185				
/ Step	40	50-223				
8 Step	54"-66"	\$ 1,295				
озсер	54	50-993				
Measure	ments					
Inside Wi	27.5"					
Outside V	31.5"					
Railing He	eight	32"				
Step Rise		7.5"				



+ +								
	Black White Grey Meas				Measurements			
3 Step	\$	450	\$	450	\$	425	ID	18"
3 Step	54	l-742	54	4-455	54	4-869	OD	20.5"
4 Cton	\$	515	\$	515	\$	460	Step Height	11"
4 Step	54	l-743	54	1-543	54	4-517	3 Step Lower Height	33"
F. C	\$	575	\$	575	\$	500	4 Step Lower Height	44"
5 Step	54	-744	54	4-350	54	1-708	5 Step Lower Height	55"
Install La	dder			LB-681	\$	30	Angle	15°

Angled Ladder