

# Floating Docks Titan Series

The Titan Series Floating Dock combines the best features of all our docking systems into a single, long lasting, high performance dock. Our rugged reinforced pontoon flotation system ensures the dock stays safely above the water and waves. Like all On the Water Designs docks, our Titan Series Pontoon Floating Dock is fabricated by skilled welders and carpenters to ensure your dock lasts a lifetime.. or longer! Our aluminum frames come complete with a 10 year warranty and our reinforced pontoons come complete with a 25 year warranty!



#### **Designer Series Floating Docks Include:**

- ✓ Frame, Pontoons & Decking (If Purchased)
- ✓ Chain Retainers at Corners
- ✓ 15' & 20' Ramps Include Stiffener & Float
- ✓ 10 Year Welded Frame Warranty
- ✓ 25 Year Pontoon Warranty

		Dock						
Size W L		No Micro Decking Pro PT		Western Red Cedar	PVC Endeck / Thruflow			
	15'	\$ 4,750	\$ 6,300	\$ 7,050	\$ 6,500			
	13	21-614	21-615	21-616	21-617			
	20'	5,800	7,550	8,450	8,100			
6'	20	21-619	21-620	21-621	21-622			
0	25'	6,800	8,750	9,750	9,700			
	23	21-624	21-625	21-626	21-627			
	30'	7,250	9,250	10,350	11,250			
	30	21-629	21-630	21-631	21-632			
	15'	5,200	6,900	7,700	7,450			
		21-814	21-815	21-816	21-817			
	20' 25'	6,200	8,200	9,000	9,250			
8'		21-819	21-820	21-821	21-822			
· ·		7,700	9,900	11,000	11,950			
		21-824	21-825	21-826	21-827			
	30'	9,300	11,600	12,900	13,750			
	30	21-829	21-830	21-831	21-832			
	15'	6,200	7,950	9,000	9,350			
10'		21-014	21-015	21-016	21-017			
	20'	7,700	9,750	10,800	12,100			
		21-019	21-020	21-021	21-022			
	25'	9,700	11,950	13,450	15,250			
		21-024	21-025	21-026	21-027			
	30'	11,500	14,850	16,750	17,600			
		21-029	21-030	21-031	21-032			

Corner Walkway	3'	500	700	700	790
		17-665	17-128	17-292	17-397
	4'	550	800	800	890
		17-713	17-293	17-852	17-474
	5'	605	900	900	1,000
		17-131	17-605	17-666	17-811

		Ramp						
Size W L		No Decking	Micro Pro PT	Western Red Cedar	PVC Endeck / Thruflow			
	10'	\$ 1,100	\$ 1,875	\$ 2,100	\$ 2,450			
4'	10	18-106	18-674	18-823	18-776			
	15'	2,100	3,450	3,850	3,700			
	13	18-297	18-761	18-947	18-480			
	20'	2,500	4,450	4,900	5,100			
	20	18-567	18-404	18-599	18-653			
6'	10'	1,350	2,400	2,650	3,050			
		18-177	18-254	18-558	18-859			
	15'	2,400	4,300	4,800	4,850			
		18-961	18-360	18-899	18-507			
	20'	2,700	4,950	5,450	5,700			
		18-833	18-397	18-357	18-422			
	10'	2,050	3,650	4,000	4,600			
	10	18-495	18-407	18-809	18-381			
8'	15'	3,050	5,450	6,000	6,500			
		18-399	18-471	18-139	18-698			
	20'	3,400	6,250	6,950	7,650			
		18-970	18-610	18-531	18-519			
10'	10'	2,450	4,560	5,100	5,700			
		18-654	18-967	18-853	18-424			
	15'	3,400	6,560	7,300	7,900			
		18-832	18-766	18-920	18-812			
	20'	3,700	7,800	8,700	9,700			
	20	18-134	18-849	18-338	18-251			

#### DID YOU KNOW?

Pontoon floats are the best choice for flotation when big waves are frequent

Pontoon floats respond more slowly than box floats to waves due to the rounded shape of the bottom. This gives a greater feeling of stability in rough conditions when big waves occur.

Are calm conditions your normal? Check out our more economical Designer Series Floating Dock with box floats

15" Freeboard Fusion Welded Crossers Safely Leave In Ice



### Floating Docks

lita		$\mathbf{a}$	rı	$\mathbf{\cap}$	c
	 -	_		_	•

Floating Dock Options			Harrison Inch.	CONTRACTOR OF THE PARTY OF THE	-
Add Ramp Float	Adds a 2'x3'x16" Float to water side of ramp.	\$ 285.00	AND DESIGNATION OF		
	This Upgrade is included on 15' & 20' Ramps & 10' Ramps			-	of the last of the last of
	with PVC Decking.	16-106			
Accessory	HD aluminum bracket welded below decking to reinforce	\$ 75.00		1111	
Reinforcement	cleats, mooring whips & flag poles			/////	-
		46-996			
Dock to Dock Stiffener	Turns two dock sections into one large dock section by	\$ 485.00			
	reinforcing the joint.				
	Docks must join side by side	16-534			100
HitcHinge Upgrade	Upgrade fron HD hinge to HitcHinge. Hitch Side is always	\$ 75.00	\$ 115.00	\$ 115.00	
(/Hinge)	welded to ramp. Pin Side may be welded or bolted to	Weld	1" Deck	1.5" Deck	1
	wood docks with either 1" or 1.5" decking	87-675	87-676	87-677	
Concrete Anchor	Concrete anchor for holding floating docks.	\$ 80.00	\$ 145.00	\$ 55.00	
	Chain weights are suspended off the bottom add stability	Dock (175lb)	HD (350lb)	Chain (50lb)	1
	on docks with large water fluctuations	89-858	89-351	89-283	
Chain (/ft)	Gr. 30 Hot Dipped Galv. Chain is the best choice for most	\$ 6.70	\$ 8.15	\$ 10.65	
	residential applications. Choose Gr. 70 Yellow Zinc for	5/16"	3/8"	3/8" Gr 70	1
	Longest Life & to Combat Zebra Mussles	74-619	74-634	74-635	
Anti-Sway Cable Kit	Makes your dock feel more stable by reinforcing ramp	\$ 195.00	\$ 205.00	\$ 215.00	
	against twisting motion. Sold by ramp Length.	10'	15'	20'	1
		16-175	16-968	16-503	
Skirting (/ft)	Deck board running below dock frame adds an attractive	\$ 4.75	\$ 8.50	\$ 9.50	\$ 15.50
	natural finish and hides the gap between the dock and	Bracket Only	PT	Cedar	PVC
	water	16-540	16-541	16-542	16-543





Shore Attachments		4'	6'	8'	10'
Shore Beam	6"x6" PT Beam. Used as an adaptor for the	\$ 285	\$ 335	\$ 375	\$ 445
Silore bearin	shore angle on uneven bedrock.	16-681	16-904	16-498	16-585
Shore Angle	4" x 4" Aluminum Angle.	385	425	485	535
Silore Aligie	Mount to shore beam or wood deck	16-222	16-674	16-515	16-293
Shore Plate	4" x 1/4" Aluminum Plate.	275	300	350	350
Silore Flate	Mount to the face of a flat surface	16-404	16-406	16-408	16-410
Shore Channel	4" x 2-1/2" Aluminum Channel.	360	425	575	635
Shore Chamiler	Mount to the face of an uneven surface	16-304	16-306	16-308	16-310
Shore Posts	2 Individual hinges mounted to leg holders.	\$385			
Silore Posts	Secured with 6' galv. post	16-201			
Concrete Angle	4' x 6" Aluminum Angle	470	600	700	855
	Mount to new or existing concrete	16-551	16-438	16-622	16-483

PVC

\* Note: Concrete Pour Available Separately

Shore Platforms			Decking	PT	Red Cedar	Endeck / Thruflow	
	Reinforced Dock frame mounted to bedrock with 1" threaded rod (included)	4' x 4'	\$ 600	\$ 1,100	\$ 1,200	\$ 1,200	
		4	16-603	16-654	16-655	16-108	
Bedrock		6' x 4'	850	1,450	1,500	1,400	
Bedrock		6 X 4	16-532	16-826	16-827	16-718	
		8' x 4'	950	1,600	1,700	2,050	
			16-517	16-759	16-760	16-833	
	Reinforced dock frame with 6' steel legs	4' x 4'	950	1,450	1,600	1,450	
			16-497	16-204	16-205	16-139	
Sand & Clay		6' x 4'	1,150	1,700	1,900	1,650	
	(included) driven into soil.		16-966	16-571	16-572	16-496	
	(included) driven into soil.	8' x 4'	1,250	1,950	2,100	2,400	
		0 4 4	16-154	16-198	16-199	16-579	



Shore Platform

## Floating Docks

**Titan Series** 

Docks Plus Temagami 6703 HWY 11 N 705-569-4600

 $\underline{dock splustemagami@gmail.com}\\$ 

www.docksplustemagami.ca







Single P Bumper | 8' Length





Factory Install Bumper LB-359 \$25.00
Factory Install Corner LB-127 \$13.50
Bumper Screws (25pk) 68-720 \$7.19
Bumper Screws (100pk) 68-719 \$28.75





\$25.00

LB-948 \$14.50

Hardware Only 68-723

\$8.75



Hand Rail - Aluminum

52-318

\$50.00

/Ft

6" Flip Up Cleat



61-146

Premium Solar Light



Capacity			Size
8'	2,500 lbs	\$	385
0	2,500 105		52-443
12'	5,000 lbs	\$	550
12	5,000 ibs		52-403
14'	10,000 lbs	\$	635
14	10,000 103		52-208



Premium
Mooring Whips

Install Whips	\$ 40
	LB-460

3,500 lbs

Wake

Watcher

Wake Watcher™





Solar Dock Lite (2pk)




\$90.00

Solar Post Lite (2pk)

			Soldi i ost Elle	(2011)
111	1	Grey	Measurements	
-	3 Step	\$ 425	ID	18"
	3 Step	54-361	OD	20.5"
	A Cton	\$ 455	Depth	5.5"
	4 Step	54-397	Step Height	11"
-	F. C.	\$ 500	3 Step Lower Height	33"
	5 Step	54-330	4 Step Lower Height	44"
-	Install	\$ 30	5 Step Lower Height	55"
	Ladder	LB-681	1	

Straight Ladder



**Angled Ladder**